



Top sight glass
Side male switch port
Side female switch port

Inlet: 3/8" MF
Outlet: 3/8" MF
Length: 6 3/4"
Dia: 3"

**DTAC NO.
06-12002**



Top sight glass

Inlet: 3/8" MF
Outlet: 3/8" MF
Length: 8"
Dia: 2 1/2"

**DTAC NO.
06-12003**



Top sight glass
Fuse plug/high pressure relief valve

Inlet: 3/8" MF
Outlet: 3/8" MF
Length: 6 1/2"
Dia: 2 1/2"

OEM # 91-08734

**DTAC NO.
06-12006**



Side sight glass
Top switch port

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 7 1/2"
Dia: 3"

PETERBILT OEM # 18-2346

**DTAC NO.
06-12007**



Side sight glass
Side male switch port
Fuse plug/high pressure relief valve

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 9"
Dia: 3"

MACK OEM # 221RD312

**DTAC NO.
06-12008**



Top sight glass
Side male switch port
Side female switch port

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 8 1/4"
Dia: 2 1/2"

FREIGHTLINER OEM# A2214425-2

**DTAC NO.
06-12011-1**

RECEIVER DRIERS



Top sight glass
Side male switch port
Top female switch port
Binary switch

Inlet: 3/8" MF
Outlet: 3/8" MF
Length: 8 1/4"
Dia: 2 1/2"

**DTAC NO.
06-12012**



Top sight
Side male switch port
Top female switch port
Binary switch

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 8 1/4"
Dia: 2 1/2"

**DTAC NO.
06-12013**



Top sight
Side male switch port
Top male switch port
Binary switch

Inlet: 3/8" MF
Outlet: 3/8" MF
Length: 10"
Dia: 2 3/4"

**DTAC NO.
06-12014**



Top sight glass
Barbed fittings

Inlet: #6 Barbed Push-On
Outlet: #6 Barbed Push-On
Length: 8"
Dia: 2 1/2"

**DTAC NO.
06-12019**



Top sight glass
Side sight glass
Side female switch port
Top female switch port

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 10"
Dia: 2 3/4"

**DTAC NO.
06-12020**



Top sight
Side female switch port
Top female switch port
Trinary switch

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 10"
Dia: 2 3/4"

**DTAC NO.
06-12022**



Top sight glass
 Side sight glass
 Side female switch port
 Top female switch port
 Trinary switch

Inlet: 3/8" MO
 Outlet: 3/8" MO
 Length: 10"
 Dia: 2 3/4"

**DTAC NO.
 06-12023**



Top sight glass
 Side male switch port
 Top female switch port

Inlet: 3/8" MO
 Outlet: 3/8" MO
 Length: 7 1/2"
 Dia: 3"

PETERBILT OEM# 18-01800

**DTAC NO.
 06-12030**



Top sight glass

Inlet: 3/8" MO
 Outlet: 3/8" MO
 Length: 10"
 Dia: 3"

KENWORTH
 OEM# 088079-00

**DTAC NO.
 06-12032**



No sight glass
 In-line

Inlet: 3/8" MO
 Outlet: 1/2" MO
 Length: 6 1/2"
 Dia: 2 1/2"

GMC OEM# 3043061

**DTAC NO.
 06-12033**



Top sight glass
 (2) Top female switch port
 Moisture indicator
 Quick disconnect fittings

Inlet: Quick disconnect
 Outlet: Quick disconnect
 Length: 10 3/4"
 Dia: 2 1/2"

**DTAC NO.
 06-12035**



Top sight glass
 Side sight glass
 Moisture indicator

Inlet: 3/8" FO
 Outlet: 3/8" MO
 Length: 8.95"
 Dia: 4"







JOHN DEERE
 OEM# AT162848

**DTAC NO.
 06-12039**

RECEIVER DRIERS



 <p>(2) Side sight glass Horizontal type Inlet: 3/8" FO Outlet: 3/8" MO Length: 7.4" Dia: 4"</p> <p>JOHN DEERE OEM# 249755, AR59780, AR74486, RE49169</p> <p>DTAC NO. 06-12040</p>	 <p>Side sight glass Fuse plug/High press. relief valve Inlet: 3/8" MF Outlet: 3/8" MF Length: 6" Dia: 4"</p> <p>INTERNATIONAL HARVESTER OEM# 539049-R1, 8022147</p> <p>DTAC NO. 06-12045</p>	 <p>Side female switch port Top male switch port Moisture indicator Fuse plug/High press. relief valve Inlet: 3/8" MO Outlet: 3/8" MO Length: 8 1/4" Dia: 3"</p> <p>FREIGHTLINER OEM# A2228796-000</p> <p>DTAC NO. 06-12055</p>
 <p>Top sight Side male switch port Side female switch port Inlet: 3/8" MO Outlet: 3/8" MO Length: 6 3/4" Dia: 3"</p> <p>DTAC 701-12, 701-24, 702</p> <p>DTAC NO. 06-12058-1</p>	 <p>Top sight glass (2) Top female switch port Moisture indicator Inlet: 3/8" MO Outlet: 3/8" FO Length: 8 3/8" Dia: 3"</p> <p>FACTORY FREIGHTLINER OEM# A22-32150, A22-34675, A22-37199</p> <p>DTAC NO. 06-12059</p>	 <p>Top sight glass Side bracket Moisture indicator Inlet: 3/8" MO Outlet: 3/8" MO Length: 10" Dia: 3"</p> <p>FORD OEM# ,E8HZ-19959-A, F2HZ-19959-A</p> <p>DTAC NO. 06-12060</p>

 <p>Top sight glass Fuse plug/High press. relief valve Moisture indicator Side low pressure switch Inlet: 3/8" MO Outlet: 3/8" MO Length: 7 3/4" Dia: 4"</p> <p>CAT OEM# 2534614, 5V5698, 74R3516, 106-5534</p> <p>DTAC NO. 06-12061</p>	 <p>Side sight glass</p> <p>Inlet: 3/8" MO inline Outlet: 3/8" MO inline Length: 10" Dia: 2 1/2"</p> <p>OEM# 74R0460</p> <p>DTAC NO. 06-12062</p>	 <p>Top sight glass Fuse plug/High press. relief valve</p> <p>Inlet: 3/8" MF Outlet: 3/8" MF Length: 7 3/4" Dia: 4"</p> <p>CAT OEM# 6P1309, 74R3506</p> <p>DTAC NO. 06-12063</p>
 <p>Top sight glass Side sight glass</p> <p>Inlet: 3/8" MO Outlet: 3/8" FO Length: 9" Dia: 4"</p> <p>JOHN DEERE OEM# AT125596</p> <p>DTAC NO. 06-12064</p>	 <p>Top sight glass Moisture indicator Fuse plug/High press. relief valve Side low pressure switch Quick disconnect fittings</p> <p>Inlet: #6 Quick disconnect Outlet: #6 Quick disconnect Length: 7 3/4" Dia: 4"</p> <p>CAT OEM# 8T8642, 9W0549, 106-5533, 74R3526</p> <p>DTAC NO. 06-12065</p>	 <p>Top sight glass Side male switch port Fuse plug/High press. relief valve Moisture indicator</p> <p>Inlet: 3/8" MO Outlet: 3/8" MO Length: 7 1/2" Dia: 4"</p> <p>CAT OEM# 74R3536</p> <p>DTAC NO. 06-12066</p>

RECEIVER DRIERS



Top sight glass
Side female switch port
Top female switch port
Binary switch

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 6 3/4"
Dia: 3"

**DTAC NO.
06-12067**



Top sight glass
Side female switch port
Top female switch port
Binary switch

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 10"
Dia: 2 3/4"

**DTAC NO.
06-12068**



Top sight glass
Side female switch port
Side bracket

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 8 1/2"
Dia: 2 1/2"

OEM# 400-003

**DTAC NO.
06-12069**



Side sight glass
Fuse plug/High press. relief valve
Side 134A charge port

Inlet: 7/16" FO
Outlet: 3/8" FO
Length: 10-1/2"
Dia: 3"

IHC OEM# 1693117C1

**DTAC NO.
06-12070**



Side sight glass
Moisture indicator

Inlet: 3/8" FO
Outlet: 3/8" MO
Length: 10"
Dia: 3"

KW OEM# K251-751

**DTAC NO.
06-12071**



Top sight glass
Fuse plug/High press. relief valve
M10 switch ports
Moisture indicator

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 10"
Dia: 3"

MACK OEM# 221RD335

**DTAC NO.
06-12073**



Fuse plug/High press. relief valve
Moisture indicator

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 9.18"
Dia: 3"

VOLVO/GM TRUCK 96-97 CLASS 8,
VN Series OEM# 807826

DTAC NO.
06-12074



Inline
Quick disconnect

Inlet: Quick Dis
Outlet: Quick Dis
Length: 13.84"
Dia: 2 1/2"

CAT OEM# 3E-3535, 175-7162

DTAC NO.
06-12075



Top sight
Moisture indicator
One female switch port
R134a charge port

Inlet: 3/8" MO
Outlet: 3/8" FO
Length: 8 3/8"
Dia: 3"

Volvo Equipment
OEM# 01618848-4

DTAC NO.
06-12076



Top sight glass
(2) M10 switch port
Moisture indicator
Fust plug/High press. relief valve

Inlet: 3/8" MO
Outlet: 3/8" FO
Length: 8 1/4"
Dia: 3"

PETERBILT OEM# 18-03783

DTAC NO.
06-12079



Accumulator

Inlet: Pad
Outlet: Pad
Length: 9 1/4"
Dia: 3 1/2"

PETERBILT CLASS 98-UP
OEM# 18-04171

DTAC NO.
06-12080



(2) M10 switch port

Inlet: 3/8" MO
Outlet: 3/8" MO
Length: 8"
Dia: 3"

PETERBILT 94-96
OEM# 23-14233

DTAC NO.
06-12081

RECEIVER DRIERS



Top sight glass
 Side female switch port
 Moisture indicator
 Fuse plug/High pressure relief valve
 Inlet: 3/8" MO
 Outlet: 3/8" MO
 Length: 10"
 Dia: 3"

WESTERN STAR 95-UP
 OEM# 5-7517-1

**DTAC NO.
 06-12082**



Top sight glass
 (2) M10 switch ports
 Moisture indicator
 Quick disconnect fitting
 Inlet: Quick Dis
 Outlet: Quick Dis
 Length: 10.2"
 Dia: 3"

FREIGHTLINER 01-UP
 OEM# PH08847000

**DTAC NO.
 06-12083**



Moisture indicator
 Inlet: 3/8" MO
 Outlet: 3/8" MO
 Length: 9"
 Dia: 3"

VOLVO 97-CURRENT OEM#
 20447319

**DTAC NO.
 06-12084**



Horizontal Type

Inlet: 3/8" MO
 Outlet: 3/8"FO
 Length: 7.77"
 Dia: 4"

JI CASE OEM# 1990758C2

**DTAC NO.
 06-12085**



Inlet: Flange
 Outlet: Flange
 Length: 10"
 Dia: 2-3/8"

KOMATSU
 OEM# 20Y-979-3120
 CAT OEM# 113-3497

**DTAC NO.
 06-12086**



Top sight glass
 134a charge port

Inlet: Pad
 Outlet: Pad
 Length: 284.5mm
 Dia: 74 mm

VOLVO OEM# 11104567

**DTAC NO.
 06-12087**

RECEIVER DRIERS

 <p>Inlet: Pad Outlet: Pad Length: 9.5" Dia: 3.438"</p> <p>NAVISTAR OEM# 35442577C2</p> <p>DTAC NO. 06-12089</p>	 <p>Slimline connect (2) M10 switch ports</p> <p>Inlet: Slimline Outlet: Slimline Length: 10" Dia: 3"</p> <p>FREIGHTLINER OEM# ABPN 83-319744</p> <p>DTAC NO. 06-12097</p>	 <p>Slimline connect (2) M10 switch ports Moisture indicator</p> <p>Inlet: Slimline Outlet: Slimline Length: 10.25" Dia: 3"</p> <p>FREIGHTLINER OEM# ABPN 83-319534</p> <p>DTAC NO. 06-12098</p>
--	--	--

QUICK DISCONNECT FITTING



DESCRIPTION	DTAC NO.
Quick Disconnect Fitting, #6 O-Ring for Use with Drier	09-60609

DRIER BRACKETS & ADAPTERS



DESCRIPTION	FITTING	DTAC NO.
Drier Bracket (Double Clamp)		06-10108
3" Drier Bracket		06-10109
Drier Adapter with Schrader	3/8-24 UNF-2A Male thread	06-11704
Drier Adapter	3/8-24 UNF to 10mm adapter	06-11705
Drier Adapter	1/4" to 10mm	06-11706
Drier Adapter	10mm to 1/4" adapter	06-11707

